

## KA-GH-PVC

### Double-walled, flexible soft-PVC hose

- dental technology
- medical technology

#### MEDIUM



#### PROPERTIES



#### Structure:

Double walled flexible soft PVC hose, smooth inside and outside with rigid PVC helix and a hollow chamber running parallel to the helix

#### Applications:

Special hose for dental and medical appliances

#### Temperature range:

- 5°C to + 60°C

#### Colour:

Light-grey, other colours on request

I.D. Ø mm	O.D. Ø mm	Wall thickness mm	r (mind.) mm	Weight ca. kg/m	Vacuum mbar	Pressure bar	Part no.
8	12	2,0	10	0,080	250	-	2-8208-008-00
11	15	2,0	13	0,090	240	-	2-8208-011-00
12	16	2,0	13	0,090	230	-	2-8208-012-00
13	17	2,0	13	0,090	230	-	2-8208-013-00
15	19	2,0	13	0,100	220	-	2-8208-015-00
16	20	2,0	20	0,120	210	-	2-8208-016-00
17	21	2,0	21	0,130	200	-	2-8208-017-00
20	25	2,5	21	0,140	180	-	2-8208-020-00
22	27	2,5	23	0,150	170	-	2-8208-022-00
25	30	2,5	23	0,190	150	-	2-8208-025-00

Further diameters upon request.

State: 17.09.2024