

VACUFLEX®

- [Products](#)
 - [Hoses](#)
 - [Connections](#)
 - [Brochure](#)
- [Company](#)
 - [About us](#)
 - [Sustainability](#)
 - [Code of Conduct](#)
 - [Certificates](#)
- [Service](#)
 - [VACUFLEX® Hose Academy](#)
 - [Dental hoses](#)
- [News](#)
- [Career](#)

- [Deutsch](#)
- [English](#)
- |
- [Chinese](#)

ONE PRESS GERMANY

SBR compressed air hose

- SBR rubber hose
- excellent low temperature resistance
- weather resistant

MEDIUM



PROPERTIES



Structure:

Multilayer hose, made out of Styrene Butadiene Rubber (SBR), yellow with blue stripe, polyester yarn reinforcement

Characteristics:

Flexible and robust compressed air hose with highly tear-resistant fabric, smooth core and cover for easy connection or pressing, resistant against mineral oil containing compressed air, kink and abrasion-resistant, weather-resistant

VACUFLEX GmbH | Hessenring 8-12
64546 Mörfelden-Walldorf | Germany
Tel. +49 6105 9339 0 | Fax: +49 6105 9339 60
info@vacuflex.de | www.vacuflex.de

Depending on installation or operating conditions, the vacuum or pressure values may differ from those stated in the table. In doubtful cases, provide a description of the application you have in mind, and we will be pleased to advise you. Alternative sizes and colours, different tolerances etc. can be supplied on request. Technical Data (at 20°C)
Stand: 11/2022

Applications:

Suitable for rough operating conditions in construction & industrial applications. Excellent low temp flexibility

Temperature range:

-20°C up to +100°C

Colour:

Yellow with blue stripe

Specials:

With fully integrated Euro couplings and safety collar

I.D. Ø mm	O.D. Ø mm	Wall thickness mm	r (mind) mm	Weight ca. kg/m	Pressure bar	Part no.
19	31	6	240	0,65	20	
25	39	7	300	1,1	20	

Further diameters upon request

State: 30.11.2022

Contact**VACUFLEX GmbH**

Hessenring 8 -12
64546 Mörfelden-Walldorf
Germany

T +49 6105 9339 0

F +49 6105 9339 60

info@vacuflex.de

[Imprint](#)


[Data privacy](#)

[Terms of Use](#)



VACUFLEX GmbH | Hessenring 8-12
64546 Mörfelden-Walldorf | Germany
Tel. +49 6105 9339 0 | Fax: +49 6105 9339 60
info@vacuflex.de | www.vacuflex.de

Depending on installation or operating conditions, the vacuum or pressure values may differ from those stated in the table. In doubtful cases, provide a description of the application you have in mind, and we will be pleased to advise you. Alternative sizes and colours, different tolerances etc. can be supplied on request. Technical Data (at 20°C)
Stand: 11/2022



VACUFLEX GmbH | Hessenring 8-12
64546 Mörfelden-Walldorf | Germany
Tel. +49 6105 9339 0 | Fax: +49 6105 9339 60
info@vacuflex.de | www.vacuflex.de

Depending on installation or operating conditions, the vacuum or pressure values may differ from those stated in the table. In doubtful cases, provide a description of the application you have in mind, and we will be pleased to advise you. Alternative sizes and colours, different tolerances etc. can be supplied on request. Technical Data (at 20°C)
Stand: 11/2022



•
VACUFLEX Advanced Hoses Ltd.

Room 101 of F Building No.2,
Xingye Road, Jiuwangmiao Village,
Zip code 511458, Nansha District,
Guangzhou, China

T +86 20 846 852 37

F +86 20 390 053 10

info@vacuflex.cn

www.vacuflex.cn

Changxing VACUFLEX Hose Technology Co., Ltd

Sino-German International Industrial Zone,
Changxing Economic and Technological
Development Zone,
Zip code 313100, Changxing, Huzhou City,
Zhejiang Province, China

T +86 572 6666208

M +86 135 6025 2608

F +86 572 6666207

info@vacuflex.cn

www.vacuflex.cn

VACUFLEX GmbH | Hessenring 8-12
64546 Mörfelden-Walldorf | Germany
Tel. +49 6105 9339 0 | Fax: +49 6105 9339 60
info@vacuflex.de | www.vacuflex.de

Depending on installation or operating conditions, the vacuum or pressure values may differ from those stated in the table. In doubtful cases, provide a description of the application you have in mind, and we will be pleased to advise you. Alternative sizes and colours, different tolerances etc. can be supplied on request. Technical Data (at 20°C)
Stand: 11/2022







Management
System
ISO 9001:2015

www.tuv.com
ID 9000009721

 SCHAUBURG HOSE TECHNOLOGY GROUP

© 2022 VACUFLEX GmbH

- [Products](#)
 - [Hoses](#)
 - [Connections](#)
 - [Brochure](#)
- [Company](#)
 - [About us](#)
 - [Sustainability](#)
 - [Code of Conduct](#)
 - [Certificates](#)
- [Service](#)
 - [VACUFLEX® Hose Academy](#)
 - [Dental hoses](#)
- [News](#)
- [Career](#)
- [Imprint](#)
- [Data privacy](#)
- [Terms of Use](#)
- [404](#)
-  [de](#)
-  [en](#)
- [CN](#)



VACUFLEX GmbH | Hessenring 8-12
64546 Mörfelden-Walldorf | Germany
Tel. +49 6105 9339 0 | Fax: +49 6105 9339 60
info@vacuflex.de | www.vacuflex.de

Depending on installation or operating conditions, the vacuum or pressure values may differ from those stated in the table. In doubtful cases, provide a description of the application you have in mind, and we will be pleased to advise you. Alternative sizes and colours, different tolerances etc. can be supplied on request. Technical Data (at 20°C)
Stand: 11/2022