

VSM-EL

Very smooth internal profile
hose made of electrical
modified TPO

- highly flexible
- electrically conductive
- high internal smoothness

MEDIUM



PROPERTIES



Structure:

Electrically modified TPO

Characteristics:

An inside, smooth full-plastic profile hose with low flow resistance, good resilience (when compressed or bent) and excellent flexibility, surface resistance $\leq 10^6$ Ohm/m

Applications:

Industrial vacuum cleaners, textile machines, woodworking machines, granulate conveyors, apparatus building

Temperature range:

-50°C to + 60°C

Colour:

Black

| I.D. Ø mm | O.D. Ø mm | r (mind.) mm | Weight ca. kg/m | Vacuum mbar | Pressure bar | Part no. |
|--------------|--------------|-----------------|--------------------|----------------|-----------------|---------------|
| 27 | 35,5 | 60 | 0,178 | 600 | 0,60 | 4-4006-027-00 |
| 32 | 40,5 | 70 | 0,231 | 500 | 0,50 | 4-4006-032-00 |
| 36 | 43,6 | 75 | 0,299 | 450 | 0,50 | 4-4006-036-00 |
| 38 | 48,0 | 80 | 0,355 | 400 | 0,40 | 4-4006-038-00 |
| 50 | 61,0 | 120 | 0,464 | 250 | 0,25 | 4-4006-050-00 |

Further diameters upon request.

State: 17.04.2024